Hyundai IONIQ 5.			
Specifications.			
Specifications.			
Electric motor(s)	DYNAMIQ 2WD	TECHNIQ AWD	
Motor type - rear	Permanent magnet	t synchronous motor	
Motor type - front	-	Permanent magnet synchronous motor	
Configuration	Rear mounted driving rear wheels	Rear + front mounted driving rear + front wheels	
Maximum power - rear motor / front motor	160 kW / -	155 kW / 70 kW	
Maximum torque - rear motor / front motor	350 Nm / -	350 Nm / 255 Nm	
Maximum power - total	160 kW	225 kW	
Maximum torque - total	350 Nm DYNAMIQ 2WD	605 Nm TECHNIQ AWD	
Battery Partners Transport		· ·	
Battery type		d Lithium-ion	
Capacity Output		3 kWh	
<u> </u>		5 KVV	
Voltage	DYNAMIQ 2WD	TECHNIQ AWD	
Cooling system Active Air Flap (AAF) - front lower air intake shutters		• TECHNIQ AWD	
On-board AC charger	DYNAMIQ 2WD	TECHNIQ AWD	
Charging capacity (maximum)		5 kW	
Standard charging time (240 V at maximum charging capacity)		6 hours 6 minutes	
Charging port		2196-2 Type 2)	
On-board DC fast charger	DYNAMIQ 2WD	TECHNIQ AWD	
Charging capacity		o kW	
Charger compatibility		7 800 V	
50 kW fast charging time (up to 80%)	Approximately 56 minutes 30 seconds	Approximately 61 minutes 42 seconds	
350 kW ultra-fast charging time (up to 80%)	Approximately 17 minutes 16 seconds	Approximately 17 minutes 16 seconds	
Charging port	, ,	196-3 Configuration FF)	
Portable emergency charging cable	DYNAMIQ 2WD	TECHNIQ AWD	
Туре		vith domestic 3-pin plug input	
Output capacity (maximum)		V,10 A	
Charging plug	Type 2 (IEC 6	2196-2 Type 2)	
Standard charging time (230 V at maximum charging capacity - up to 100%)		tely 31 hours	
/ehicle To Load (V2L)	DYNAMIQ 2WD	TECHNIQ AWD	
Dutput capacity (maximum)	250 V, 3.	6 kW, 15 A	
Connector - outside	CCS Combo2 (IEC 62196-3 Configuration FF)) 2-way adapter to domestic 3-pin plug output	
Connector - inside	Domestic 3-p	oin plug output	
[ransmission	DYNAMIQ 2WD TECHNIQ AWD		
Reduction gear - Rear	Single speed	reduction gear	
Reduction gear - Front	-	Single speed reduction gear	
Gear ratio	Reduction gear (rear)	Reduction gear (rear) + Reduction gear (front)	
Reduction gear - Rear	2.:	263	
Reduction gear - Front	-	2.263	
inal gear	4.	706	
Oriveline Orive I in the I in	DYNAMIQ 2WD	TECHNIQ AWD	
wo Wheel Drive (2WD) - rear wheel drive	•	-	
All Wheel Drive (AWD)	-	•	
NWD Type	-	HTRAC Dual Motor with Disconnector Actuator Syste	
		(DAS)	
Other Index hannet insulator			
Under bonnet insulator	- DVNAMO SWD	TECHNIC AWD	
Steering Type	DYNAMIQ 2WD	TECHNIQ AWD	
VIIIE	Rack mounted Motor Driven Power Steering (R-MDPS), rack & pinion		
Minimum turning circle diameter between kerbs / walls	44.6	11.98 m	

Suspension	DYNAMIQ 2WD	TECHNIQ AWD
Front	MacPherson strut	
Rear	Multi-link	
Damping control system	High performance dampers	
Brakes	DYNAMIQ 2WD	TECHNIQ AWD
System	Dual diagonal-split circuit, power assisted with Electronic Brake-force Distribution (EBD), Electronic Stability Control (ESC) and active hydraulic booster (regenerative braking)	
Booster	Integrated Elect	ric Booster (IEB)
Front brake type	Ventilat	ed disc
Front disc dimensions	345 mm s	x 30 mm
Rear brake type	Ventilated disc	
Rear disc dimensions	345 mm :	
Weight	DYNAMIQ 2WD	TECHNIQ AWD
Tare Mass	1990 kg	2100kg
Gross Vehicle Mass (GVM)	2430 kg	2540 kg
Permissible Axle Weight (PAW) - front	1280 kg	1280 kg
Permissible Axle Weight (PAW) - rear	1370kg	1370 kg
Roof rack load limit	80	<u>* </u>
Front under bonnet cargo area load limit	25 kg	10 kg
Towing Capacity	DYNAMIQ 2WD	TECHNIQ AWD
Braked	1600	<u> </u>
Un-braked	750	· · · · · · · · · · · · · · · · · · ·
Maximum tow ball weight	100	kg
Trailer pre-wiring package	•	
Energy consumption*	DYNAMIQ 2WD	TECHNIQ AWD
Electric driving efficiency; Combined:		
Wh/km	168	190
kWh/100km	16.8	19.0
All Electric Range (AER)	481 km	430 km
* Figure based on WLTP (Worldwide Harmonised Light-Duty Vehicles Test		
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of v	closer to real-world driving behaviour. Real life driving result vehicle features (such as heating and air conditioning), as we	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions.
range and emissions in passenger vehicles, designed to provide figures of	closer to real-world driving behaviour. Real life driving result	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical performance	closer to real-world driving behaviour. Real life driving result vehicle features (such as heating and air conditioning), as we DYNAMIQ 2WD	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of verformance Maximum speed (km/h)	closer to real-world driving behaviour. Real life driving result yehicle features (such as heating and air conditioning), as we DYNAMIQ 2WD	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of verformance Maximum speed (km/h) 0 ~ 100 km/h (seconds)	closer to real-world driving behaviour. Real life driving result rehicle features (such as heating and air conditioning), as we DYNAMIQ 2WD 18	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical vehicles are supported by the performance Maximum speed (km/h) 0 ~ 100 km/h (seconds) 80 ~ 120 km/h (seconds)	closer to real-world driving behaviour. Real life driving result rehicle features (such as heating and air conditioning), as we by the body of the bod	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provided for the condition of vertical provided for the condition of vehicles	closer to real-world driving behaviour. Real life driving result vehicle features (such as heating and air conditioning), as we DYNAMIQ 2WD 18 7.4 4.7	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type of the condition	closer to real-world driving behaviour. Real life driving result vehicle features (such as heating and air conditioning), as we DYNAMIQ 2WD 18 7.4 4.7	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provided figures of type of journey, vehicle configuration, battery age and condition, use of vertical provided figures of vehicles of ve	DYNAMIQ 2WD 7.4 4.7 DYNAMIQ 2WD	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 TECHNIQ AWD TECHNIQ AWD
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provided figures of type of journey, vehicle configuration, battery age and condition, use of vertical provided figures of vehicles of ve	DYNAMIQ 2WD 7.4 4.7 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5 5.2 3.8 88 TECHNIQ AWD mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type of the part of the	DYNAMIQ 2WD 18 7.4 4.7 DYNAMIQ 2WD 18 90 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of vertical provides of vertical provides of vehicles of vertical provides of vehicles of veh	DYNAMIQ 2WD 18 7.4 4.7 DYNAMIQ 2WD DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of veriformance Maximum speed (km/h) 0 ~ 100 km/h (seconds) 80 ~ 120 km/h (seconds) Coefficient of drag (C _d) Dimensions Exterior Length Width Height (with shark fin antenna) Wheelbase	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 4635 1890 1605 (16 3000	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type o	DYNAMIQ 2WD 18 7.4 4.7 DYNAMIQ 2WD 18 635 1890 1605 (16 30000	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides	DYNAMIQ 2WD 18 7.4 4.7 DYNAMIQ 2WD 18 635 1890 1605 (16 30000	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type o	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 1.7 1.638 / 1647 mm	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 55 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm)
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of veriformance Maximum speed (km/h) 0 ~ 100 km/h (seconds) 80 ~ 120 km/h (seconds) Coefficient of drag (C _a) Dimensions Exterior Length Width Height (with shark fin antenna) Wheelbase Wheel track - front / rear Minimum ground clearance Interior Head room front / rear (with Vision Roof)	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 1605 (16 3000 1638 / 1647 mm	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 55 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm)
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type of journey, vehicle configuration, battery age and condition, use of type o	DYNAMIQ 2WD 18 7.4 4.7 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 17 0.2 18	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 1022 mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of veriformance Maximum speed (km/h) 0 ~ 100 km/h (seconds) 80 ~ 120 km/h (seconds) Coefficient of drag (C _a) Dimensions Exterior Length Width Height (with shark fin antenna) Wheelbase Wheel track - front / rear Minimum ground clearance Interior Head room front / rear (with Vision Roof) Leg room front / rear Shoulder room front / rear	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 1605 (16 3000 1638 / 1647 mm 1046 / 970 mm 1138 / 10 1465 / 1470 mm	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 1022 mm 1465 / 1465 mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 1605 (16 3000 1638 / 1647 mm 1138 / 10 1465 / 1470 mm 1368 / 13	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 55 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 1022 mm 1465 / 1465 mm
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of veriformance Maximum speed (km/h) 0 ~ 100 km/h (seconds) 80 ~ 120 km/h (seconds) Coefficient of drag (C _a) Dimensions Exterior Length Width Height (with shark fin antenna) Wheelbase Wheel track - front / rear Minimum ground clearance Interior Head room front / rear (with Vision Roof) Leg room front / rear Shoulder room front / rear Hip room front / rear Cargo area rear - VDA (minimum / maximum)	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 1605 (16 3000 1638 / 1647 mm 1138 / 10 1465 / 1470 mm 1368 / 13 527 L /	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5. 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 1022 mm 1465 / 1465 mm 1587 L 24 L
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of verification of the provided figures of type of journey, vehicle configuration, battery age and condition, use of verification of vehicles of vehi	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 0.2 18 18 7.4 4.7 0.2 18 18 7.4 4.7 0.2 18 18 7.4 4.7 0.2 18 18 7.4 4.7 0.2 18 18 18 18 18 18 18 18 18 18 18 18 18	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5. 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 1022 mm 1465 / 1465 mm 1587 L 24 L
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 1605 (16 3000 1638 / 1647 mm 160 1046 / 970 mm 1138 / 10 1465 / 1470 mm 1368 / 13 527 L / 57 L	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD mm mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 202 mm 1465 / 1465 mm 1587 L 24 L L
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of vehicles of vehicle	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4 7.4	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 202 mm 1465 / 1465 mm 1587 L 24 L L 560 / 1620 L TECHNIQ AWD
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of vehicles of vehicle	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 1605 (16 3000 1638 / 1647 mm 160 1046 / 970 mm 1138 / 10 1465 / 1470 mm 1368 / 13 527 L / 57 L 9 593 / 1653 L DYNAMIQ 2WD Alloy - aerody 19 x 7.5J + 49.5	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 55 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 202 mm 1465 / 1465 mm 1587 L 24 L L 560 / 1620 L TECHNIQ AWD namic design
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of vehicles of vehicle	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 4635 1890 1605 (16 3000 1638 / 1647 mm 160 1046 / 970 mm 1138 / 10 1465 / 1470 mm 1368 / 13 527 L / 57 L 9 593 / 1653 L DYNAMIQ 2WD Alloy - aerody 19 x 7.5J + 49.5 Michelin Primacy 4	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 202 mm 1465 / 1465 mm 362 mm 1587 L 24 L L 560 / 1620 L TECHNIQ AWD namic design 20 x 8.5J +54.5 Michelin Pilot Sport EV
range and emissions in passenger vehicles, designed to provide figures of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of type of journey, vehicle configuration, battery age and condition, use of vertical provides of vehicles of vehicle	DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 18 7.4 4.7 0.2 DYNAMIQ 2WD 1605 (16 3000 1638 / 1647 mm 160 1046 / 970 mm 1138 / 10 1465 / 1470 mm 1368 / 13 527 L / 57 L 9 593 / 1653 L DYNAMIQ 2WD Alloy - aerody 19 x 7.5J + 49.5	s will vary depending on a combination of driving style, ell as operating, environmental and climate conditions. TECHNIQ AWD 5. 5.2 3.8 88 TECHNIQ AWD mm mm 47) mm 1628 / 1637 mm mm 1046 / 970 mm (1034 / 953 mm) 202 mm 1465 / 1465 mm 1587 L 24 L L 560 / 1620 L TECHNIQ AWD namic design 20 x 8.5J +54.5 Michelin Pilot Sport EV 255/45R20 105W

Electric vehicle functions	DYNAMIQ 2WD	TECHNIQ AWD
iPedal mode - intelligent one pedal driving mode	•	•
Smart regenerative braking mode 2.0 - traffic & navigation based	•	•
Regenerative braking control - via paddle shifters	•	•
Vehicle to Load (V2L) connection (outside) - 2-way adapter to domestic 3-pin plug output	•	•
Vehicle to Load (V2L) connection (inside) - domestic 3-pin plug output	•	•
Voice notification of charging status (outside) - using external VESS speaker	•	•
Visual notification of charging status (charge port door) - Parametric pixel LED indicator	•	•
Navigation POI - EV charging stations; with auto display when needed	•	•
Trailer Mode - Automatic AER adjustment	•	•
Trailer Mode - HTRAC AWD drive torque distribution	-	•
Next departure function - set the intended departure time for the scheduled charging	•	•
Scheduled charging function - set the intended start and end time for charging; Off-peak tariffs prioritised/Off-peak tariffs only	•	•
Target temperature function - set the intended climate control temperature for next departure	•	•
EV charge transfer function - set the minimum battery % the V2L automatically discharges down to	•	•
Charging limit function - set the defined battery charging limit for AC/DC charging	•	•
Charging current function - set the defined battery charging current limit for AC charging	•	•
Utility mode function - uses the high voltage battery to power vehicle electronics	•	•
Eco mode climate control function - increases driving range in Eco drive mode	•	•
Driver only climate control fan function - increases driving range	•	•
Heat off climate control function - increases driving range	•	•
	·	·
Driving convenience	ΟΥΝΔΜΙΟ 2WD	TECHNIO AWD
Driving convenience Auto Hold function	DYNAMIQ 2WD	TECHNIQ AWD
Auto Hold function		·
	•	•
Auto Hold function Electronic Parking Brake (EPB)	•	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including;	•	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position	•	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat	•	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes	• • •	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers	• • • • • •	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key	• • • • • •	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors	• • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control,	• • • • • • • • • • • • • • • • • • •	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode	• • • • • • • • • • • • • • • • • • •	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles;	• • • • • • • • • • • • • • • • • • •	•
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest		· · · · · · · · · · · · · · · · · · ·
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control Active safety	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control Active safety Electronic Stability Control (ESC) including;	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (BAS) Electronic Brakeforce Distribution (EBD)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
Auto Hold function Electronic Parking Brake (EPB) Integrated Memory System (IMS), 2 driver positions - including; Driver's seat (excluding lumbar) & exterior rear view mirror position Easy Access function - driver's seat One touch turn signal - 3, 5, or 7 flashes Rain sensing aero wipers Remote Start - via Smart Key Reverse parking aid function - exterior mirrors Smart key with push button start Steering wheel mounted controls - audio, favourite, phone, voice control, lane safety, smart cruise control, speed limiter, trip computer & drive mode Tilt & telescopic steering column Personalised User Profile selection - 3 custom profiles; Driver 1, Driver 2 & Guest Driving engagement Brake Mode - 2 settings; Normal & Sport Drive Mode - 4 settings; Eco, Normal, Sport, Snow Shift By Wire (SBW), electronic gear shift control Active safety Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •

Andrew and also	DVNAMIO SWID	TECHNIC AND
Active safety	DYNAMIQ 2WD	TECHNIQ AWD
Hyundai SmartSense ™ including; Blind-Spot Collision Avoidance-Assist (BCA)		
Blind-Spot View Monitor (BVM)		
Driver Attention Warning (DAW), including;		
Leading Vehicle Departure Alert		
Forward Collision-Avoidance Assist (FCA) including:		
Car / Pedestrian / Cyclist Detection (FCA - CAR/PED/CYC)		
Junction Turning / Crossing functions (FCA - JT/JC)		
Lane Change Oncoming / Side functions (FCA - LO/LS)		
Evasive Steering Assist function (FCA - w/ ESA)		
High Beam Assist (HBA)		
Intelligent Speed Limit Assist (ISLA)		
Lane Following Assist (LFA)		
Lane Keeping Assist - Line/Road-Edge (LKA-L/R)		
Parking Collision-Avoidance Assist - Reverse (PCA-R)		
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)	•	•
Rear Occupant Alert (ROA) - warning type		
Safe Exit Assist (SEA)		
Smart Cruise Control (SCC), including;		
Stop & Go function (SCC w/ S&G)		
Machine Learning function (SCC w/ ML) - Based on Driving Style		
Surround View Monitor (SVM) including;		
3D Surround View function		
Driving Rear-View Monitor (DRM) function - rear view image on		
command Parking Distance Wayning function w/ dynamic guidelines ?		
Parking Distance Warning function w/ dynamic guidelines & guidance display		
Car wash entering mode		
Tailgate guide-line mode		
Trailer connection mode		
Other features		
Emergency Stop Signal (ESS)	•	•
Steering wheel with Haptic feedback - SmartSense ™ functions	•	•
Manual Speed Limit Assist (MSLA)	•	•
Parking Distance Warning - Forward/Reverse (PDW-F/R) - 6 sensors front & rear with guidance display	•	•
Smart Parking Assist (SPA), including;		
Perpendicular & Parallel reverse parking and Parallel forward exit functions	•	•
Remote Smart Parking Assist (RSPA), via Smart Key, including;		
Perpendicular & Parallel reverse parking and Forward/Rearward	•	•
parking functions		
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	•	•
Virtual Engine Sound System (VESS) - external sound notification for pedestrians	•	•
Passive safety	DYNAMIQ 2WD	TECHNIQ AWD
Airbags		
Front airbags - driver & front passenger	•	•
Front centre side airbag	•	•
Side (thorax & pelvis) airbags - driver & front passenger	•	•
Side curtain airbags	•	•
Doors		
Impact sensing auto door unlock	•	•
Electronic child safety lock - rear doors & windows	•	•
Seatbelts		
Pretensioners & height adjustable upper mounts on front seat belts	•	•
Pretensioners on rear outboard seat belts	•	•
Load limiters - front & rear seat belts	•	•
Seat belt reminder - front & rear seatbelts	•	•
Seating		
Height adjustable front head restraints with tilt function	•	•
Height adjustable rear head restraints	•	•
ISOFIX child restraint anchors (rear outboard seats)	•	•
Top tether child restraint anchors (rear) - 3 anchors	•	•

Society	DYNAMIQ 2WD	TECHNIQ AWD
Security Security system	DTNAMIQ 2WD	TECHNIQ AWD
Active lock/unlock operation (user configurable)	•	•
Anti-theft alarm	•	•
Central locking	•	•
Engine immobiliser	•	•
Remotes		
Smart key remote - 2x	•	•
Other		
Capacitive touch front door handles - lock / unlock function	•	•
Multimedia system	DYNAMIQ 2WD	TECHNIQ AWD
Audio/media sources		
AM radio	•	•
FM / Digital radio (DAB+)	•	•
Apple CarPlay¹ & Android Auto² compatibility	•	•
Bluetooth audio streaming	•	•
Sounds of Nature - 6 pre-set sounds	•	•
USB multimedia input - music/video	•	•
Functions		
Bluetooth® Multi-Connection; 1 x phone/audio & 1 x audio	•	•
Bluetooth® Message Access Profile (MAP) - SMS playback capability; audio & visual	•	•
Capacitive touch screen - 12.3" HD display with blue light filter	•	•
Radio Data System (RDS)	•	•
Satellite navigation	•	•
Live traffic updates (RDS-TMC)	•	•
Voice memo function - up to 70 minutes recording time	•	•
Speakers		
BOSE™ Premium audio system - 8 speakers with external amplifier	•	•
Other features		
Colour theme layout - White or Black	•	•
EV vehicle functions display	•	•
Quiet Mode function - Audio volume limited to '25' in 1st row and muted in rear	•	•
Occupant comfort & convenience	DYNAMIQ 2WD	TECHNIQ AWD
Upholstery/trim		
Leather ³ appointed seats	•	•
Leather ³ appointed steering wheel	•	•
Leather³ appointed centre console armrest w/real stitching	•	•
Leather ³ appointed door armrests w/cloth inserts & real stitching	•	•
Front seats		
Driver's seat - power adjustable - 10-way (including 2-way lumbar support)	•	-
Driver's seat - power adjustable - 12-way (including 2-way lumbar		
support & 2-way calf support)	-	•
Driver's seat - 'Relaxion' comfort seat function (zero gravity position)	-	•
Driver's seat - Seat position change alert - displayed in multimedia system screen	-	•
Passenger's seat - power adjustable - 10-way (including 2-way lumbar support)	•	-
Passenger's seat - power adjustable - 12-way (including 2-way lumbar support & 2-way calf support)	-	•
Passenger's seat - 'Relaxion' comfort seat function (zero gravity position)	-	•
Passenger's seat - centre side control switch, including;		
Driver/rear passenger control for 2nd row slide (individual left	_	•
& right) One-touch relaxation seat control		
Integrated Memory System (IMS) - passenger seat via multimedia screen	-	•
Adjustable centre console (2-way sliding)	•	•
2 x USB power outlet - centre console	•	•
1 x 12V power outlet - front console	•	•
Wireless charging pad 15w (Qi standard) ⁴ with cooling function	•	•
Wireless charging pad 15w (Qi standard) ⁴ with cooling function - centre console Grip handles - 1x (passenger)	•	•

Occupant comfort & convenience	DYNAMIQ 2WD	TECHNIQ AWD
Rear seats	DINAMIQ 2WD	TECHNIQ AWD
Centre fold down armrest	•	•
Grip handles - 2x	•	•
2 x USB power outlet - rear of centre console	•	•
Manual backrest recline function - 2-way (60:40)	•	•
Manual seat base slide function - 2-way (60:40)	•	
Power seat base slide function - 2-way (60:40)	·	•
Integrated Memory System (IMS) - rear seats via multimedia screen (60:40)		
Windows/shades	-	·
Acoustic laminated glass - windshield glass	•	•
Acoustic laminated glass - side doors	•	•
Solar control glass - windshield & front doors	•	•
Privacy glass - rear doors & tailgate	•	•
Power windows - one touch up & down function with anti-pinching		-
safety feature - front windows	•	•
Convenience opening/closing function with Smart Key remote - front windows	•	•
Rear door window sunshades	-	•
Sun visors (extendable) - driver and front passenger	•	•
Doors/tailgate		
Luggage area power outlet - 1 x 12V outlet	•	•
Power charge flap - open/close; with Smart Key control	•	•
Power retractable door handles - with approach open & unlock function	•	•
Power Tailgate - open/close; with adjustable height and speed	•	•
Smart Tailgate function - hands-free opening	•	•
Other		
Instrument panel display board - with magnetic attachment capability	•	•
Vision & sight	DYNAMIQ 2WD	TECHNIQ AWD
Interior mirror		
Electro-Chromatic Mirror (ECM) - auto-dimming	•	•
Exterior mirrors		
Heated	•	•
Power adjustable	•	•
Power folding with auto fold function	•	•
Instrument cluster		
Supervision cluster including;		
12.3" colour TFT-LCD full screen display		
Digital instrumentation with Driving Assist, Utility (Trip Computer), Turn By Turn & Powertrain view modes	•	•
3 x display themes; Eco/Snow, Normal & Sport with torque gauge		
Colour theme layout - White or Black		
Head-Up-Display		
Augmented Reality Display Mode functions:		
Turn-by-turn navigation display	_	
Driving convenience information	-	
Blind-spot safety information	-	
Speedometer display	-	
Normal Display Mode functions:	•	•
Turn-by-turn navigation display	-	
Driving convenience information	-	
Blind-spot safety information	-	
	+	
Multimedia information display Speedometer display	-	
Speedometer display Ventilation & heating	DYNAMIQ 2WD	TECHNIQ AWD
Air conditioning	BTRAWIQ 2WD	TECHNIQ AWD
Climate control - dual zone including;		
Touch type control panel	-	
Auto defog function	-	
	+	
Auto dehumidify function		
Smart vent function	-	
Smart vent function Auto internal air circulation function; windscreen		
Smart vent function Auto internal air circulation function; windscreen washer based & navigation map data based	•	•
Auto internal air circulation function; windscreen washer based & navigation map data based Auto fan function - including 3 modes;	•	•
Auto internal air circulation function; windscreen washer based & navigation map data based Auto fan function - including 3 modes; Low, Medium & High	•	•
Auto internal air circulation function; windscreen washer based & navigation map data based Auto fan function - including 3 modes; Low, Medium & High Cabin air filter	•	•
Auto internal air circulation function; windscreen washer based & navigation map data based Auto fan function - including 3 modes; Low, Medium & High	•	•

Ventilation & heating	DYNAMIQ 2WD	TECHNIQ AWD
Front seats		
Heated front seats - 3 stage	•	•
Air ventilated front seats - 3 stage	-	•
Rear seats		
Heated rear outboard seats - 2 stage	-	•
Other features		
Auto Comfort Control -auto activation of driver's heated / ventilated seat	_	•
& heated steering wheel		
Heated rear windshield	•	•
Heated steering wheel	<u>-</u>	•
PTC Heater - electric heater	DYNAMIQ 2WD	• TECHNIC AWD
Exterior styling Front	DTNAMIQ 2WD	TECHNIQ AWD
Headlights - black bezel with Parametric Pixel graphics	•	•
Front upper middle trim - gloss black with Parametric Pixel graphics	•	•
Front bumper upper trim - satin chrome	•	•
Front bumper lower middle trim - gloss black	•	•
Front bumper lower trim - satin chrome	•	•
Front bumper cladding - liquid silver	•	•
Front bumper skid plate - liquid silver	•	•
Rear		
Taillights - black bezel with parametric pixel graphics	•	•
Rear bumper/tailgate upper trim - satin chrome	•	•
Rear bumper upper middle side trims & skid plate surround	•	•
- gloss black Rear bumper lower middle side trims - satin chrome	•	•
Rear bumper cladding - liquid silver	•	•
Rear bumper skid plate - liquid silver	•	•
Roof spoiler - tailgate mounted aero type;		
Body colour with piano black wind deflector	•	•
Side		
Door frame, beltline moulding & mirror base/lower cover/front surround - gloss black	•	•
Flush type door handle	•	•
Middle upper side trim insert - gloss black	•	•
Middle lower side trim insert - satin chrome	•	•
Side cladding - liquid silver	•	•
Wheels		
Multi-spoke gloss black / machined finish aero wheel - with Parametric Dynamics pattern	•	•
Other features		
Roof aerial (shark fin type) - gloss black	•	•
Interior styling	DYNAMIQ 2WD	TECHNIQ AWD
Treatments		
Alloy effect finish (dashboard, door handles/speakers, cabin switches, wiper/light/transmission controls, air vents, centre console & overhead light console)	•	•
Gloss black - hybrid-touch steering wheel buttons, drive mode button, EV start/stop button, electronic park brake button & auto hold button	•	•
Interior styling	DYNAMIQ 2WD	TECHNIQ AWD
Materials		
Pedals - alloy	•	•
Door scuff plates - stainless steel	•	•
Door trim insert garnish - paperette w/Parametric Pixel graphics	•	•
Headlining - cloth knit melange look	•	•
Design		
Steering wheel - EV exclusive with flat bottom & Parametric Pixel graphics	•	•

Lighting	DYNAMIQ 2WD	TECHNIQ AWD
Exterior lighting - front		
Headlight functions - automatic dusk sensing with escort and welcome	•	•
Headlight type - Dual projector beam LED - low/high beam	•	•
Positioning lights - LED w/Parametric Pixel graphics	•	•
Daytime Running Lights (DRL) - LED w/Parametric Pixel graphics	•	•
Turn signal lights - LED w/Parametric Pixel graphics	•	•
Hidden LED light guide - upper bumper trim	•	•
Exterior lighting - rear		
Taillights - Full LED w/Parametric Pixel graphics	•	•
Positioning lights - LED	•	•
LED light guide - full width	•	•
Brake lights - LED	•	•
Turn signal lights - LED	•	•
Reverse lights - LED	•	•
Fog lights - LED	•	•
License plate lights - LED	•	•
High mount stop light (HMSL) - LED	•	•
	•	•
Exterior lighting - others Side repeature LED w/Parametric Divel graphics integrated into		
Side repeaters - LED w/Parametric Pixel graphics, integrated into side mirrors	•	•
Front cargo area light - LED	•	•
Manual headlight levelling function - 4 levels; 0, 1, 2, & 3	•	•
Interior lighting - front		
Map lights with touch type operation - LED	•	•
Mood light - LED	•	•
Room lights including map lights & mood light - LED	•	•
Glovebox compartment light - LED	•	•
Vanity mirror lights	•	•
Interior lighting - rear		
Centre room light - LED	•	•
Room lights and map lights - LED (outboard)	-	0
Interior lighting - others		
Interior Ambient lighting - LED: door armrests & speaker surrounds, including;	•	•
Adjustable colours & brightness; 10 pre-set and up to 64 colour choices		
Rear cargo area light	•	•
Interior light fade-out delay	•	•
Storage solutions	DYNAMIQ 2WD	TECHNIQ AWD
Front seats		
Centre console w/main & armrest compartment storage	•	•
Cup holders including phone holder - centre console	•	•
Front console storage compartment	•	•
Glovebox compartment - sliding type	•	•
Ticket holders - sun visors (driver and front passenger)	•	•
Rear seats		
Centre console rear storage compartment	•	•
Coat hooks - 1x	•	•
Cup holders including phone holder - armrest	•	•
Front seat back pockets - net type	•	•
Split folding backrest - 60:40	•	•
Boot/luggage area		
Cargo cover - dual position, retractable	•	•
Luggage board - foldable	•	•
Luggage compartment - 4x tie down hooks	•	•
Luggage net	•	•
Underfloor storage compartment	•	•
Bonnet		
Front cargo compartment	•	•
Others		
		•
Doors - map pockets and bottle holders (front and rear)	•	
		TECHNIO AWD
Options	DYNAMIQ 2WD	TECHNIQ AWD
	DYNAMIQ 2WD	TECHNIQ AWD

- Notes:

 1. Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate.

 2. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate.

 3. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof.

 4. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

 Key:

 = Feature included as standard on trim

 = Feature is not available on trim